



EC Type-Approval Certificate

for non-original motorcycle exhaust system



Approval No.:	e24*97/24*2013/60/5/VII*0150*10
Issued by:	NATIONAL STANDARDS AUTHORITY OF IRELAND Certification Services - Operations Manufacturing 1 swift Square, Northwood, Santry, Dublin 9, Ireland
Place & date of type-approval:	Dublin, 28.05.2014
Report No.:	10-00104-CM-GBM-10
Issued by:	TÜV SÜD Auto Service GmbH Westendstrasse 199 DE-80686 MÜNCHEN
Date of issue:	05.05.2014
Approval identification:	e24 0150 (5)

Type and version of exhaust: P-KAT-028.

Marking: Engraved by laser

Field of application:

Manufacturer / Trade mark	Commercial description	Vehicle type (and no. of homologation)	Engine type	Component parts, dimensions in mm	Dimensions of the part in mm or original part / replacement part	Akrapovic part no. Or homologation no.	
YAMAHA Motor Espana S.A. / YAMAHA	X-MAX 250 / YP 250 R	SG16 (e9*0039*)	G344E / G362E	Header pipes	Original part	-	
	X-MAX 250 / YP 250 R	SG22 (e9*0362*)	G389E / G3A7E	Header pipes	-	H-xxx	
	X-MAX 125 / YP 125 R	SE32 (e9*0052*)	E384E	Collector	-	C-xxx	
	X-MAX 125 / YP 125 R	SE54 (e9*0395*)	E362E	Link pipe	-	L-xxx	
M.B.K. Industrie (F) / YAMAHA	Majesty 400 / YP 400	SH05 (e13*0143*)	H322E	Catalytic converter	ø 62 x 65	P-KAT-028, e24*0150*(5)	
	X-CITY 250 / YP 250	SG19 (e13*0190*)	G358E	Link pipe with catalytic converter	ø 62 x 65	P-KAT-028, e24*0150*(5)	
	X-CITY 125	SE43 (e13*0203*)	E3A5E	Silencer	Hexagonal 110 x 140	M-HR026, e24*0142*(9)	
	X-MAX 250 / YP 250 R	SG25 (e13*0494*)	G389E / G3A7E	Outlet pipes ø 28	Length without end caps 350	-	
	X-MAX 250 / YP 250 R	SG26 (e13*0680*)	G389E	Silencer	Hexagonal 110 x 140	M-HR027, e24*0148*(9)	
	X-MAX 125 / YP 125 R	SE64 (e13*0501*)	E362E	Outlet pipes ø 22	Length without end caps 350	-	
	X-MAX 125 / YP 125 R	SE68 (e13*0654*)	E3M1E	Silencer	Hexagonal conical 128 x 170	M-HZA002, e24*0149*(9)	
	X-MAX 400 / YP 400 R	SH07 (e13*0627*)	H330E	Outlet pipes 2 x ø 22	Length without end caps 400	-	
	M.B.K. Industrie (F) / MBK	Skycruiser 125	SE64 (e13*0501*)	E362E	Silencer	Hexagonal 131.8 x 171.8	M-HAA005, e24*0227*(9)
		Skycruiser 125	SE68 (e13*0654*)	E3M1E	Outlet pipes 2 x ø 22	Length without end caps 380	-
Skycruiser 250		SG25 (e13*0494*)	G389E / G3A7E	Silencer	Conical max. ø 127	M-HB0005, e24*0238*(9)	
Skycruiser 250		SG26 (e13*0680*)	G389E	Outlet pipes ø 35	Length without end caps 470	-	
Cityliner 125		SE43 (e13*0203*)	E3A5E	Silencer	Hexagonal 187 x 117	M-HAF002, e24*0240*(9)	
MBK Evalis 400		SH07 (e13*0627*)	H330E	3 outlet pipes ø 22	Length without end caps 195	-	
YAMAHA Motor Espana S.A. / MBK		Skycruiser 125	SE32 (e9*0052*)	E384E	Silencer	Hexagonal 113 x 143	M-HR041, e24*0242*(9)
	Skycruiser 125	SE54 (e9*0395*)	E362E	Outlet pipes ø 22	Length without end caps 350	-	
	Skycruiser 250	SG22 (e9*0362*)	G389E / G3A7E	Silencer	Hexagonal 126 x 231	M-HAF003, e26*8004*(9)	
PIAGGIO & C.S.p.A. / PIAGGIO	Vespa GTS 300i	M45 (e3*0306*)	M454M	Outlet pipes ø 22	Length with end caps 440	-	
	Vespa GTS 300 Super		M454M	Silencer	-	-	
	Vespa GTV 300		M454M	Silencer	-	-	
	Vespa GTS 250i	M69 (e3*0570*)	M451M	Outlet pipes ø 35	Length without end caps 470	-	
	Vespa GTV 250i		M451M	Silencer	Hexagonal 187 x 117	-	
	Vespa GTS 125i		M455M	Silencer	3 outlet pipes ø 22	Length without end caps 195	-
	Beverly 300i	M32 (e11*0067*)	M692M	Outlet pipes ø 22	Length without end caps 350	-	
	Beverly 125i		M691M	Silencer	Hexagonal 126 x 231	-	
	Beverly 350i		M693M / M694M	Silencer	-	-	
	BEVERLY 500	M34 (e11*0395*)	M321M	Outlet pipes ø 22	Length without end caps 350	-	
	BEVERLY 500		M343M	Silencer	Hexagonal 126 x 231	-	
	BEVERLY 500		M344M	Silencer	-	-	
	BEVERLY 400	M64 (e11*0794)	M345M	Outlet pipes ø 22	Length without end caps 350	-	
	BEVERLY 400		M349M	Silencer	Hexagonal 126 x 231	-	
	BEVERLY 400		M474M	Silencer	-	-	
	MP-3 400 LT	M72 (e3*0572*)	M611M	Outlet pipes ø 22	Length without end caps 350	-	
	MP-3 500 LT		M611M	Silencer	Hexagonal 126 x 231	-	
	MP-3 250 LT		M632M	Silencer	-	-	
	MP-3 300 LT	M75 (e3*0578*)	M633M	Outlet pipes ø 22	Length without end caps 350	-	
	MP-3 300 LT		M634M	Silencer	Hexagonal 126 x 231	-	
	MP-3 300 LT		M634M	Silencer	-	-	
	MP-3 300 LT Hybrid	M47 (e11*0433*)	M652M	Outlet pipes ø 22	Length without end caps 350	-	
	MP-3 300 Yourban LT		M712M	Silencer	Hexagonal 126 x 231	-	
	MP-3 125 (X2)		M473M	Silencer	-	-	
	MP-3 250 (X2)	M63 (e11*0761*)	M472M	Outlet pipes ø 22	Length without end caps 350	-	
	MP-3 125		M631M	Silencer	Hexagonal 126 x 231	-	
	MP-3 250		M632M	Silencer	-	-	
MP-3 300	M63 (e11*0761*)	M633M	Outlet pipes ø 22	Length without end caps 350	-		
MP-3 300		M634M	Silencer	Hexagonal 126 x 231	-		

Type and version of exhaust: P-KAT-028.

Marking: Engraved by laser

Field of application:

Manufacturer / Trade mark	Commercial description	Vehicle type (and no. of homologation)	Engine type	Component parts. dimensions in mm	Dimensions of the part in mm or original part / replacement part	Akrapovic part no. Or homologation no.
PIAGGIO & C.S.p.A. / PIAGGIO	MP-3 125 Hybrid	M65 (e3*0555*)	M65M			
	MP-3 125 Yourban	M71	M71M			
	MP-3 300 Yourban	(e3*0577*)	M72M			
	MP-3 400	M59 (e1*0602*)	M474M			
	MP-3 500	M61 (e1*0601*)	M61M			
	X8 400	M52 (e1*0423*)	M521M			
	Xevo 400	M52 (e1*0423*)	M521M			
	X9 500 Evolution	M27 (e1*0038*06)	M271M			
	Carnaby 125	M60 (e3*0459*)	M28FM			
	Carnaby 200		M60M			
	Carnaby 250		M603M			
	Carnaby Cruiser 300		M604M			
	X10 125	M76	M761M			
	X10 350	(e3*0588*)	M762M			
	X10 500		M763M			
PEUGEOT	Satelis 400	J2	M564M			
	Satelis 500	(e2*0017*)	M563M			
GILERA	Fuoco 500	M61 (e1*0601*)	M61M			
	Nexus 500	M35 (e3*0402*)	M352M			
	Nexus 250	M35 (e3*0402*01)	M353M			
	Nexus 125	M35 (e3*0402*03)	M357M			
	Nexus 300	M35 (e3*0402*05)	M356M			
	Runner 125	M46	M461M / M463M			
	Runner 200	(e3*0338*)	M462M / M464M			
HONDA (I)	SH 300i	NF02 (e3*0447*)	NF02E			
	SH 125i	JF14 (e3*0208*)	JF14E			
	SH 125i	JF23 (e4*2015*)	JF14E			
	SH 150i	KF08 (e3*0297*)	KF08E			
	PS 125i	JF17 (e3*0400*)	JF14E			
	PS 150i	KF09 (e3*0401*)	KF08E			
Thai HONDA / HONDA	CBR 250 R	MC41 (e13*0457*)	MC41E			
	CBR 125 R	JC50 (e13*0445*)	JC50E			
APRILIA	Sportcity 125 ONE / CUBE	VB (e1*0118*)	M281M M287M			
	Sportcity 200 CUBE		M282M			
	Sportcity 250 CUBE		M288M			
	Sportcity 300 CUBE		M281M			
	SR Max 125	M35	M357M			
	SR Max 300	(e3*0402*08)	M356M			
	SR Max 500		M352M			
SR Max 250	M35 (e3*0402*09)	M354M				
DERBI	GPI 250	PT (e9*0071*)	M237M			
	Rambla 125	RA	M287M			
	Rambla 250	(e9*0267*)	M288M			
	Rambla 300		M281M			
YAMAHA Motor Co. Ltd. / YAMAHA	XV 950 / R Bolt	VN03 (e13*0640*)	N604E			
	MT-09	RN29 (e13*0643*)	N701E			
	MT-07	RMD4 (e13*0660*)	M401E			

To be filled out by Akrapovič representative:

Date of purchase: Issued by:

Stamp & signature:

Muffler repack kit service intervals

The durability of the damping material depends on the type of motorcycle, riding style, mileage etc. Normally, single and twin cylinder engines produce a stronger exhaust gas wave pulse and a higher temperature. Often, riding on a race track requires noise control. The insulating material should be replaced when you notice any visual changes on the muffler sleeve material or when the muffler exceeds the noise limit. Please check the muffler visually before every season.

Date: _____

Performed by: _____

Stamp & signature: _____

Date: _____

Performed by: _____

Stamp & signature: _____

Date: _____

Performed by: _____

Stamp & signature: _____

Date: _____

Performed by: _____

Stamp & signature: _____

Date: _____

Performed by: _____

Stamp & signature: _____

Date: _____

Performed by: _____

Stamp & signature: _____

Maintenance

1. Clean the titanium muffler outer sleeves with a multi-purpose spray lubricant (WD-40 or equivalent) and carbon-fiber outer sleeves with soft and dry cloth. Do not use aggressive chemical cleaners, because they can damage the sticker. A change in the color of the exhaust system is normal due to the high temperatures.

2. The wearing out of the muffler silencing material depends on the type of the motor and riding style. Contact your dealer/serviceman if visible changes appear on muffler's outer sleeve or the noise level is increased.

3. Periodically make sure all the bolts are sufficiently tight.

Exclusion of Certain Liability

1. The manufacturer, importer or dealer shall not be liable for any incidental damage including personal injury or any other damages caused by improper installation or operation of the Akrapovič exhaust system. When installing the Akrapovič exhaust system be careful that the exhaust system does not touch other parts sensitive to high temperature.

2. Akrapovič makes no representation or warranties with regard to damage caused by the improper installation, use and maintenance of the Akrapovič exhaust system. The warranty is limited to defects recognized by our technical department and to normal use, and excludes items subject to normal wear (gaskets and damping wool). The guarantee is void in case of accident, modification, improper or competition use.

3. Do not attempt to install the Akrapovič exhaust system on a motorcycle for which it was not made or tested by Akrapovič.

4. When the exhaust system gets very hot during operation, be careful not to burn yourself on the exhaust system or parts which are in direct contact with it, even when the motor is not running. Also protect other people, especially children, from the injuries mentioned above.

5. In some cases Akrapovič exhaust system kits contain chemical products (ceramic anti-seizing grease). Handle with care, do not inhale or swallow. Avoid excessive contact with skin, eyes or mucous membranes. Keep out of the reach of children.

6. Technical specifications of Akrapovič exhaust systems and related products subject to change without notice.